## **Temperature Log for Vaccines (Fahrenheit)**

Completing this temperature log: Check the temperatures in both the freezer and the refrigerator compartments of your vaccine storage units at least twice each working day. Place an "X" in the box that corresponds with the temperature and record the ambient (room) temperature, the time of the temperature readings, and your initials. Once the month has ended, save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.

lonth/Year:	Days 1–15

If the recorded temperature is in the shaded zone: This represents an unacceptable temperature range. Follow these steps: 1. Store the vaccine under proper conditions as quickly as possible. 2. Call the vaccine manufacturer(s) to determine whether the potency of the vaccine(s) has been affected. 3. Call the immunization program at your local health department for further assistance:

(\_\_\_\_) \_\_\_\_\_\_. 4. Document the action taken on the reverse side of this log.

N

	Day of Month			1	2	2	3	3	4	4		5	(	5	7	1	8		9	9	10	)	1	1	12	2	1	3	14	4	15
	Staff	Initials																													
	Roon	n Temp.																													
	Exac	et Time																													
	°F T	Temp	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am pm
*E		\$49°																													
roo warm		48°						1	ake	im	me	dia	te a	acti	on	if te	mp	era	atu	re i	s in	sh	ade	ed s	sect	tior	*				
ě		47°																													
		46°																													
	mperature	45°																													
	atu	44°																													
	er	43°																													
	Ε	42°																													
	te	41°																													
or 40	° <b>≥</b> [5]	40°																													
	्छ ।	39°																													
	Refrige	38°																													
	fri	37°																													
	~ ~ ~	36°																													
		35°																													
*•		34°																													
Foo cold		33°						7	ake	im	me	dia	te a	acti	on	if te	mp	era	atu	re i	s in	sh	ade	ed s	ect	ior	*				
ě		#32°																													

*E	P	\$8°													
N Wa	em E	7°		1	ake im	media	te acti	on if te	mpera	ature i	s in sh	aded :	section	*	
P	Ţ	6°													
T	ze	5°													
Ī	- P	4º													
	T.	#3°													

Adapted by the Immunization Action Coalition courtesy of the Michigan Department of Community Health and the California Department of Health Services.

Technical content reviewed by the Centers for Disease Control and Prevention, Jan. 2007.

www.immunize.org/catg.d/p3039.pdf • Item #P3039 (1/07)

## **Vaccine Storage Troubleshooting Record**

Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials

## **Temperature Log for Vaccines (Fahrenheit)**

Completing this temperature log: Check the temperatures in both the freezer and the refrigerator compartments of your vaccine storage units at least twice each working day. Place an "X" in the box that corresponds with the temperature and record the ambient (room) temperature, the time of the temperature readings, and your initials. Once the month has ended, save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.

/lonth/Year:	Days 16-31
--------------	------------

If the recorded temperature is in the shaded zone: This represents an unacceptable temperature range. Follow these steps: 1. Store the vaccine under proper conditions as quickly as possible. 2. Call the vaccine manufacturer(s) to determine whether the potency of the vaccine(s) has been affected. 3. Call the immunization program at your local health department for further assistance:

(\_\_\_\_\_) \_\_\_\_\_\_\_. 4. Document the action taken on the reverse side of this log.

Γ	Day of Mo		16	5	1	7	1	8	1	19	2	20	2	21	2	2	2	3	24	4	2	25	2	6	2	7	2	8	29	9	3	0	3	1
	Staff Initia	ls																																
	Room Ten	p.																																
	Exact Tim	e																																
	<sup>o</sup> F Temp		m J	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
*E	\$49	0																																
wa Na	48								Ta	ke	im	<u>me</u>	diat	te a	ctio	on	f te	m	pera	atu	re i	s ii	n sl	nad	ed	se	ctic	n*						
ê	47																																	
	46																																	
	45																																	
	45 44 43																																	
L	<u>ə</u> 43																																	
L	# 42 # 41																														ļ			
	<b>9</b> 41	- 1																													ļ			
for 40°																															ļ			
1	<b>©</b> 39																														ļ'			
- 1	38			$\perp$																										$\dashv$	ļ			<u> </u>
- 1	37 36			$\perp$																											ļ			<u> </u>
L																																		<u> </u>
	35																																	
*₽	34			_																														
3 8	33			_					Ta	ke	im	me	diat	te a	ctic	on	if te	m	pera	atu	re i	s ii	h st	nad	ed	se	ctic	n*						
F	#32	,																																
Ť <u>E</u>	\$80																																	
0 WB	<b>E</b> 7°								Та	ke	im	me	diat	e a	ctic	on i	f te	m	pera	atu	re i	s iı	n sh	nad	ed	se	ctic	n*						
P	6° 6°																																	
	N 2°			$\perp$			$oxed{oxed}$																											
	<b>₩</b> 40	- 1	- 1	- 1			1	:	1	1	ı	i	1	1	ı	i	1	;		: 1	1	1	ı	1	1	1		:	1 3		. ;	: 1		

Adapted by the Immunization Action Coalition courtesy of the Michigan Department of Community Health and the California Department of Health Services.

Technical content reviewed by the Centers for Disease Control and Prevention, Jan. 2007.

www.immunize.org/catg.d/p3039.pdf • Item #P3039 (1/07)

## **Vaccine Storage Troubleshooting Record**

Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials